


KFL-11M

迷你红光源



迷你精巧



2.5mm通用



USB充电
(仅限锂电池款)



LED照明



产品特性

- 口袋式设计，迷你精巧
- 硅胶防尘帽设计，不易断裂
- 测试距离可达25km，稳定性高
- 2.5mm通用接口，适用于SC/ST/FC接口
- 光源强劲稳定，穿透力强
- 配备LED灯，黑暗中查线施工更便利
- 内置锂电池，USB充电安全，使用方便(仅限锂电池款)

产品卖点




LED照明灯

便于黑暗环境下查线施工
工作便利



USB充电

USB接口充电，随时充电
安全稳定使用放心
(仅限锂电池款)



隐藏按钮

隐藏按钮设计，防误触操作




背夹设计

便捷出行



测试距离可达25KM



2.5mm通用接口



产品参数

仪表型号	KFL-11M-10	KFL-11M-20	KFL-11M-30
功率范围	10mW	20mW	30mW
测试距离	5-8km	12-15km	20-25km
工作时间	电池款	5H	4H
	充电款	10H	8H
波长范围	650nm		
激光器类型	LD		
调制频率	CW / 2Hz		
工作温度	-20 ~ +60 (°C)		
LED手电筒	支持		
电源	AAA 1.5V 电池 x 2 (默认) / 锂电池 1000mAh		
充电接口	USB接口(仅限充电款)		
外形尺寸	127 x 36.5 x 28 (mm)		
重量	61 g (含电池)		

以上所有数据均为吉星实验室在20°环境下得出
测量距离取决于光纤弯曲、连接器、质量等因素



产品展示



总公司

江苏吉星光通讯科技有限公司

联系我们

地址：江苏省南京市雨花区宁双路十八号沁恒科技园

电话：025-66047688

网址：www.KomShine.com

邮箱：info@komshine.com

* Komshine reserves the right to improve, enhance, or modify the features and specifications of KomShine products without prior notification.

* Company and product names appearing in this catalogue are registered marks or trademarks of respective companies.

* This catalogue is printed using environmentally friendly paper and ink.